

FINAL REPORT OF LABORATORY EXAMINATION

4011 Discovery Drive, Columbia, MO 65201

1-800-669-0825 1-573-499-5700

[idxxbioanalytics@idexx.com](mailto:idxxbioanalytics@idexx.com)

[www.idexxbioanalytics.com](http://www.idexxbioanalytics.com)

IDEXX BioAnalytics Case # 27949-2018

Received: 9/25/2018

Completed: 10/2/2018

SEROLOGY DETAILS

	Baseline	NZW
<b>CAR bacillus</b>		
CAR bacillus purified bacteria	MFI > 3.750	-
<b>Encephalitozoon cuniculi</b>		
<i>E. cuniculi</i> purified antigen	MFI > 1.200	-
<b>Treponema</b>		
Treponema	IFA	-
<b>Clostridium piliforme</b>		
<i>Clostridium piliforme</i> purified bacteria	MFI > 3.500	-
<b>Rotavirus</b>		
Rotavirus purified virus	MFI > 3.000	-
Rota VP6 recombinant	MFI > 3.000	-

**Legend:** + = positive - = negative blank = test not performed EQ = equivocal HE = hemolysis precluded testing I = insufficient W = weak positive WB = Western Blot confirmatory analysis pending NS = non-specific reactivity N = normal IgG L = less than normal IgG Positive MFI results are reported as "+" followed by a number from 1 to 33 in thousands rounded off to the nearest thousand.